

## Announcements

### New Feature: 'Product Performance' Portal Now Live

Excel has launched a powerful new feature on the website to support traceability and transparency for performance-critical products such as copper cables, fibre cables, patch cords, and cassettes. Customers can now access batch-specific test data - called TEST TRACE - by scanning the QR code found on product labels or packaging. Simply enter the batch number into the dedicated field on the Product Performance page to view test results.

<https://portal.excel-networking.com/product-performance>

The same portal also offers a searchable library of Declaration of Performance (DoP) certificates, available for download in 17 languages.

#### Highlights:

- Access batch-specific test results via QR code and TEST TRACE ID
- Supports copper and fibre cables, patch cords, cassettes, and more
- Includes searchable DoP certificate database
- Available in 17 languages
- Enhances project traceability and documentation compliance


excel  
Visit the  
portal *here*



TEST-TRACE

250116-3285884-01

SCAN FOR TEST RESULTS  
AND ENTER ABOVE



| Part Number      | Description  | Category   | Barcode      |
|------------------|--|------------|--------------|
| 1-25-CMR-1007-80 | Excel Category 8 Cable U/UTP CMR 800m Blue                   | Category 8 | File         |
| 100-083          | Excel Solid Cat5e Cable U/UTP Cat5e 100m - Grey              | Category 5 | File         |
| 100-087          | Excel Solid Cat5e Cable U/UTP ESDM Cat5e 100m Box Orange     | Category 5 | Dir 12 42 42 |
| 100-089          | Excel Solid Cat5e Cable U/UTP PVC ESDM Cat5e 100m Box Grey   | Category 5 | File         |
| 100-090          | Excel Solid Cat5e Cable U/UTP ESDM ESDM Cat5e 100m Box White | Category 5 | Dir 12 42 42 |

### Strengthening MPO Capabilities

Our Config Team has completed advanced, Senko-certified training in MPO termination, polishing, test and inspection. At the same time, we have opened a purpose-built fibre facility at Environ House. The payoff is clear: UK-assembled, high-density MPO systems turned around at speed, proven on state-of-the-art equipment and protected by Excel's 25-year system warranty.

#### Highlights:

- Senko-certified training across termination, polishing, testing & inspection
- Multi six-figure investment in dedicated MPO/MTP & VSFF workstations
- UK build & test delivers rapid lead-times and consistent quality
- Strengthens our promise to help data centres build the Future Faster

Discover more about Elevate's MPO capabilities in the latest Excel press release: <https://excel-networking.com/news>



Visit [www.excel-networking.com](http://www.excel-networking.com) for the full product details

Contact the Excel sales team on 0121 326 7557 or email [sales@excel-networking.com](mailto:sales@excel-networking.com)

Environ Rack Solutions



Discover the **Excel Environ Racks Configurator**

Build the perfect rack in minutes - anytime, anywhere, on any device!



[www.excel-networking.com/configurators](http://www.excel-networking.com/configurators)

**ENVIRON**

**Environ SR Series – Updated**

The latest Excel Environ SR server racks now feature rear-mounted horizontal cable trays and a revised cable-management layout that mirrors the wider Environ family. For 800 mm-wide SR Racks, the vertical cable management is brought to the front of the rack, giving installers quicker patch-lead access and a cleaner, more service-friendly rear pathway.

**Highlights...**

- Rear horizontal cable trays on every SR rack
- 800 mm-wide models adopt front-mounted vertical cable management as the new default – as per wider Environ series
- New standard SKUs use WDBF / DDBF suffixes
  - Legacy WDBR / DDBR variants become non-standard
- Racks without vertical cable management (WDBN / DDBN) now supplied with rear cable trays instead of front
- Comprehensive, step-by-step assembly instructions for all SR variants available online (see link below)



| Part Number          | Description                             |
|----------------------|---|
| 544-29810-WDBF-BK    | 29 U × 800 W × 1000 D, black            |
| 544-29810-WDBF-BK-FP | 29 U × 800 W × 1000 D, black, Flat Pack |
| 544-29812-WDBF-BK    | 29 U × 800 W × 1200 D, black            |
| 544-29812-WDBF-BK-FP | 29 U × 800 W × 1200 D, black, Flat Pack |
| 544-42810-WDBF-BK    | 42 U × 800 W × 1000 D, black            |
| 544-42812-WDBF-BK    | 42 U × 800 W × 1200 D, black            |
| 544-47810-WDBF-BK    | 47 U × 800 W × 1000 D, black            |
| 544-47812-WDBF-BK    | 47 U × 800 W × 1200 D, black            |

\* Dimensions shown are indicative; consult the online datasheets for full specifications.

**Assembly Instructions**

Download the latest SR Series assembly guidelines here: [www.excel-networking.com/downloads/installation-guidelines](http://www.excel-networking.com/downloads/installation-guidelines)

Use these updated documents to ensure every cabinet is built and loaded in line with current Excel best practice.

excel  
View the guides *here*




Visit [www.excel-networking.com](http://www.excel-networking.com) for the full product details

Contact the Excel sales team on 0121 326 7557 or email [sales@excel-networking.com](mailto:sales@excel-networking.com)

## Fibre Solutions

# ELEVATE

Future Faster



### Update: Elevate MPO Cassettes and Panel

Excel is moving all legacy Enbeam MPO fibre panels to the new Elevate high-density MPO range. As soon as remaining stocks reach zero, older SKUs will be withdrawn, to be replaced by Elevate equivalents that ship with male (pinned) MPO connectors as standard. Female variants are still available - as per the table.

#### Highlights

- One-for-one replacement: every outgoing Enbeam panel (208-xxx codes) now has a direct Elevate successor.
- Male MPO becomes the default on all standard panels and cassettes, helping eliminate pin-alignment issues in backbone links.
- Female alternatives listed (-TYPE-B/-TYPE-C SKUs) to support existing site standards or mixed-gender links.
- End-of-life at stock-zero: legacy part codes will disappear from the website once inventory is depleted, but can still be supplied on special request while stock lasts.
- Datasheets and drawings updated across the online product pages during July 2025.
- Comprehensive installation guidelines for Elevate MPO hardware, covering polarity, gender selection and cassette fitment, are available to download from the Elevate website: [elevate.excel-networking.com/](https://elevate.excel-networking.com/)

For any enquiries or support with ordering, please speak to our Elevate Sales Team: [enquiries@elevate.com](mailto:enquiries@elevate.com)

For full details of the SKUs affected, please [click here](#).



## Discover the Excel Enbeam Fibre Configurator

Designed to support accurate, bespoke Enbeam fibre cable configurations with ease.



[www.excel-networking.com/configurators](http://www.excel-networking.com/configurators)

Visit [www.excel-networking.com](http://www.excel-networking.com) for the full product details  
Contact the Excel sales team on 0121 326 7557 or email [sales@excel-networking.com](mailto:sales@excel-networking.com)

Copper Solutions



**Excel Office Single Gang Back Box**

| Part Number | Description                             |
|-------------|---|
| 100-740     | Excel Office Single Gang Back Box 37 mm |

This 37 mm deep single gang back box is designed to match the profile and colour of Excel Office Faceplates, ensuring a seamless and professional finish. Constructed from durable ABS plastic, the box features breakaway cable entries to support flexible installation across a variety of environments. Supplied with fixing screws and backed by the Excel 25-year system warranty, this is a reliable, installer-friendly solution for structured cabling terminations.

**Highlights:**

- Exact profile and colour match to Excel Office faceplates
- Breakaway cable entries for adaptable cable routing
- Manufactured from robust, impact-resistant ABS plastic
- Supplied with fixing screws
- 25-year system warranty


The new 37 mm depth was developed specifically to partner with the Excel 100-270 faceplate, giving an exact colour, contour and radius match for a perfectly unified finish.



**Excel Universal RJ45 Plug Termination Tool (100-127)**

The new universal termination tool is the easiest way to terminate and crimp the Excel Fast RJ45 plugs.

- Suitable for all Excel RJ45 plugs
- Can be used for shielded and booted plugs
- Replacing 100-115 and 100-119



excel  
View the product *here*




| Type                      |     | Cat5e / Cat6 |     | Cat6A       |     | Cat6A ZONE Cable |     | Cat8       |
|---------------------------|-----|--------------|-----|-------------|-----|------------------|-----|------------|
| Setting B<br>100-127 Tool |     |              | FTP | 100-118-100 | FTP | 100-118ZN-100    |     |            |
| Setting A<br>100-127 Tool | UTP | 100-116-100  | UTP | 100-120-100 |     |                  |     |            |
|                           |     | 100-117-100  |     |             |     |                  |     |            |
|                           | FTP | 100-128-100  | FTP | 100-128-100 |     |                  |     |            |
| Field Termination         |     |              | FTP | 100-940-06  |     |                  | FTP | 100-802-06 |
| Angled Field Termination  |     |              | FTP | 100-144-06  |     |                  |     |            |

Visit [www.excel-networking.com](http://www.excel-networking.com) for the full product details

Contact the Excel sales team on 0121 326 7557 or email [sales@excel-networking.com](mailto:sales@excel-networking.com)

See our RJ45 plugs in action - head to the Excel YouTube Channel and explore the **"How To: RJ45 Plugs"** videos. Watch the versatile 100-127 termination tool and discover the fastest way to achieve consistently perfect terminations across the Excel RJ45 plug range.



With a focus on reliability, flexibility, and availability, Excel is the trusted choice for those seeking cutting-edge cabling solutions that deliver superior performance without compromising on sustainability.



**MARKET  
ACCEPTANCE**



**25-YEAR WARRANTY  
AVAILABLE**



**DEDICATED ACCOUNT  
MANAGER**



**EXTENSIVE PRODUCT  
RANGE**



**QUALITY ASSURANCE  
PROGRAMME**

Visit [www.excel-networking.com](http://www.excel-networking.com) for the full product details

Contact the Excel sales team on 0121 326 7557 or email [sales@excel-networking.com](mailto:sales@excel-networking.com)

European Headquarters  
Excel House  
Junction Six Industrial Park  
Electric Avenue  
Birmingham B6 7JJ  
England

[www.excel-networking.com](http://www.excel-networking.com)